



gloveon

Maverick LC

Nitrile Exam Gloves Powder Free, Long Cuff

A worthy addition to the Maverick family. The **Maverick LC** is also an all-rounder glove. It is thicker and in extended cuff length. This glove is suitable in situations which require more protection level.



GloveOn Maverick LC		
Length (mm)	≥ 280	
Thickness Measurements (mm)		
Palm (centre of Palm)	0.09 ± 0.02	
Finger (13mm ± 3mm from tip)	0.14 ± 0.02	
Physical Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	≥ 14	≥ 14
Elongation (%)	≥ 500	≥ 500
Elongation after Isopropanol immersion (%)	≥ 500	N/A
Inspection Levels & AQL	Inspection Level	AQL
Watertightness	G1	1.5
Physical Dimensions	S2	4.0
Tensile Strength	S2	4.0
Visual Inspection (Major)	S4	2.5
Visual Inspection (Minor)	S4	4.0
Particulate Residue	N = 5	≤ 2mg/glove
Chemotherapy Drugs and Concentration (Tested for Resistance to Permeation by Chemotherapy Drugs as per ASTM D6978-05-Test Report PN 101567)	Minimum Breakthrough Detection Time (minutes)	
Carmustine (BCNU), 3.3mg/ml (3,300 ppm)	15.1 minutes	
Cisplatin, 1.0mg/ml (1,000 ppm)	>240 minutes	
Cyclophosphamide (Cytoxan), 20.0mg/ml (20,000 ppm)	>240 minutes	
Dacarbazine (DTIC), 10.0mg/ml (10,000 ppm)	>240 minutes	
Doxorubicin Hydrochloride, 2.0mg/ml (2,000 ppm)	>240 minutes	
Etoposide (Toposar), 20.00mg/ml (20,000 ppm)	>240 minutes	
Fluorouracil, 50.0mg/ml (50,000 ppm)	>240 minutes	
Methotrexate, 25.0mg/ml (25,000 ppm)	>240 minutes	
Mitomycin C, 0.5mg/ml (500 ppm)	>240 minutes	
Paclitaxel (Taxol), 6.0mg/ml (6,000 ppm)	>240 minutes	
Thiotepa, 10.0mg/ml (10,000 ppm)	30.8 minutes	
Vincristine Sulfate, 1.0mg/ml (1,000 ppm)	>240 minutes	

REORDER CODE

NTR26XS	X-SMALL
NTR26SS	SMALL
NTR26MM	MEDIUM
NTR26LL	LARGE
NTR26XL	X-LARGE

FEATURES

- Fingertip textured
- Powder free
- Not made with natural rubber latex
- Chemo drugs tested
- Lab chemical tested
- UL certified to meet NFPA 1999
- Ambidextrous
- Long cuff
- Aqua blue colour

PACKAGING

100 gloves per box (XS-XL)
10 boxes per carton

REGULATORY COMPLIANCE

TGA- ARTG 164563, FDA 510(k),
MDD 93/42/EEC, REACH,
ROHS Directive 2002/95/EC, EC 10/2011,
EC 1935/2004

STANDARDS

ASTM D6319, ASTM D412, ASTM D573,
ASTM D5151, ASTM D6124, ASTM D6978,
EN 455 part 1, 2, 3 & 4, EN 1186,
EN 13130, CEN/TS 14234, NFPA 1999,
AS/NZS 4011

MANUFACTURING ACCREDITATIONS

ISO 9001
ISO 13485
EN ISO 13485
ISO 14001, OHSAS 18001